

MAR 09 2005

Mark Lindsey  
 Patent Agent  
 One Becton Drive, MC110  
 Franklin Lakes, New Jersey 07417-1880  
 Phone: 201.847.6262  
 Fax: 201.848.9228  
 E-Mail: mark\_lindsey@bd.com



**BD**

Helping all people  
 live healthy lives

Attention: Commissioner for Patents

Company: United States Patent and Trademark Office

Fax number: (703) 872-9306

From: Ursula Polignone for MARK LINDSEY

Date: March 9, 2005

Number of Pages (including this cover):

If you do not receive all of the pages, please call: Ursula Polignone 201- 847-5728

Applicant(s):	Steven Keith	Atty. Docket No.:	P-2776P1P1P1
Serial No.:	09/966,505	Group Art Unit:	1651
Filed:	September 28, 2001	Examiner:	Gitomer
For:	Methods for Improving Sensitivity of Oxygen Biosensors		

The following documents are attached to this facsimile:

1. Response to Office Action Mailed September 9, 2004 – 11 pages
2. Petition for Three Month Extension – 1 page

**Confidential**

The pages accompanying this transmission contain or may contain information from BD (Becton, Dickinson and Company) which is confidential, proprietary and/or legally privileged. The information is intended only for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying distribution or taking of any action in reliance on the contents of this transmission is strictly prohibited, and the pages received by you are to be destroyed immediately. In this regard, please notify the sender of this transmission that you have received the transmission in error and have destroyed the pages sent.

If you do not receive all of the pages, please call as soon as possible, via direct fax line indicated above or by telephone to the sender indicated above.

Becton, Dickinson and Company

Doc#89963

MAR 09 2005

**PATENT**  
**P-2776P1P1P1****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Serial No. 09/966,505 Confirmation No.: 5310  
Applicant(s) Steven C. Keith  
Filed: September 28, 2001  
Group Art Unit: 1651  
Examiner: Ralph J. Gitomer  
Docket: P-2776P1P1P1  
Customer No.: 26253  
Title: Methods For Improving Sensitivity Of Oxygen Biosensors

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING FAXED (703) 872-9306 TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450	
BY: <u>MARK LINDSEY</u> (NAME)	
<u>M. Lindsey</u> (SIGNATURE)	<u>3/9/05</u> (DATE)

**RESPONSE TO OFFICE ACTION**

In response to the Office Action mailed September 9, 2004, the period for response having been extended three months by the filing of an extension of time herewith, please amend the above-identified application as set forth herein.

**Amendments to the Claims** begin on page 2 of this paper.

**Remarks** begin on page 6 of this paper.